


YLL-012 D P64 LED PRO


B 1452 — 858 ————— 345 ————— 147 ————— 88 ————— 58 lux



1.64'	—	3.28'	—	6.56'	—	9.84'	—	13.11'	—	16.39'	Distance (Feet)
0.5	—	1	—	2	—	3	—	4	—	5	Distance (Meters)

YLL-012 D P64 LED PRO


G 2210 — 1289 — 478 — 237 — 138 — 83 lux



1.64'	3.28'	6.56'	9.84'	13.11'	16.39'	Distance(Feet)
0.5	1	2	3	4	5	Distance(Meters)

YLL-012 D P64 LED PRO


R 1077 — 638 ————— 216 ————— 84 ————— 55 ————— 38 lux



1.64'	—	3.28'	—	6.56'	—	9.84'	—	13.11'	—	16.39'	Distance (Feet)
0.5	—	1	—	2	—	3	—	4	—	5	Distance (Meters)

YLL-012 D P64 LED PRO


R 1077 — 638 ————— 216 ————— 84 ————— 55 ————— 38 lux



1.64'	—	3.28'	—	6.56'	—	9.84'	—	13.11'	—	16.39'	Distance (Feet)
0.5	—	1	—	2	—	3	—	4	—	5	Distance (Meters)

YLL-012 D P64 LED PRO


G 2210 — 1289 — 478 — 237 — 138 — 83 lux



1.64'	3.28'	6.56'	9.84'	13.11'	16.39'	Distance(Feet)
0.5	1	2	3	4	5	Distance(Meters)

YLL-012 D P64 LED PRO


B 1452 — 858 ————— 345 ————— 147 ————— 88 ————— 58 lux



1.64'	—	3.28'	—	6.56'	—	9.84'	—	13.11'	—	16.39'	Distance (Feet)
0.5	—	1	—	2	—	3	—	4	—	5	Distance (Meters)

YLL-012 D P64 LED PRO


W 3830 — 2230 — 827 — 424 — 245 — 140 lux



1.64'	3.28'	6.56'	9.84'	13.11'	16.39'	Distance (Feet)
0.5	1	2	3	4	5	Distance (Meters)

YLL-012 D P64 LED PRO

W 3830 — 2230 — 827 — 424 — 245 — 140 lux



1.64'	3.28'	6.56'	9.84'	13.11'	16.39'	Distance (Feet)
0.5	1	2	3	4	5	Distance (Meters)